



# RAYDENT Microscan


Micro-CT 3D scanner for dental CAD/CAM treatment

# The future of digital impression scanner



RAYDENT Microscan, the innovative Micro-CT 3D scanner, is now available to dental lab/clinic. It guarantees reliable scan results with accuracy, efficiency and productivity.

※ Micro-CT(Micro Computed Tomography) technology has been widely used for precise 3D measurements(analysis) in metrology lab and high-tech industry.




- Perfect scanning of undercut and shadow areas
- Faster workflow by eliminating scanning of plaster, die, and scanbody, distinct from traditional desktop dental scanners
- Modeless CAD/CAM workflow for prosthesis and orthodontic



# A breakthrough in dental 3D scanning

## Stunning 3D scanning result :

detailed capture of undercut and shadow areas




## Everything is captured at one scan :


gingiva and scanbody for custom abutment & implant bar (Modeless implant bar scan)

# Crystal clear outputs superior to optical scanners

Highly accurate scan for modeless CAD/CAM workflow



# High compatibility (STL export)




▶  
STL  
3D  
data

## 1. Scan

RAYDENT Microscan

- Modeless workflow with the dental 3D scanner
- 3D scanning data in STL format



## 2. Design

RAYDENT designer



## 3. 3D Printing

RAYDENT Printer

**Compatible**  
**with** RAYDENT Solution (Chairside CAD/CAM solution)  
**with** any Open CAD/CAM System

# Technical Specifications

RBS-RM01 (rev.0)

Design and specifications are subject to change without notice

RAYDENT  
Microscan  
(MCT750)

<b>Power requirements</b>	100-240V~, 50/60Hz, Max 3A
<b>X-ray characteristics</b>	Tube Voltage: 60~80kV, Tube Current: 0.4~0.7mA
<b>FOV (dia. x H)</b>	85 x 85mm
<b>Scan time</b>	20sec~2min
<b>Dimensions (W x D x H)</b>	970mm x 440mm x 452mm
<b>Weight</b>	150kg